

Environmental Protection Agency

§ 180.547

§ 180.545 Prallethrin (*RS*)-2-methyl-4-oxo-3-(2-propynyl)cyclopent-2-enyl (*1RS*)-*cis*, *trans*-chrysanthemate; tolerances for residues.

(a) *General*. (1) A tolerance of 1.0 ppm is established for residues of the insecticide prallethrin (*RS*)-2-methyl-4-oxo-3-(2-propynyl)cyclopent-2-enyl (*1RS*)-*cis*, *trans*-chrysanthemate as follows:

(2) In or on food commodities in food handling establishments where food and food products are held, processed, prepared and/or served.

(3) Application shall be limited to space, general surface, and spot and/or crack and crevice treatment in food handling establishments where food and food products are held, processed, prepared and/or served. General surface or space spray applications may be used only when the facility is not in operation provided exposed food has been covered or removed from the area being treated prior to application. Spot and/or crack and crevice application may be used while the facility is in operation provided exposed food is covered or removed from the area being treated prior to application. Spray concentrate shall be limited to a maximum of 2.0% active ingredient. Contamination of food or food contact surfaces shall be avoided. Food contact surfaces and equipment should be thoroughly washed with an effective cleaning compound and rinsed with potable water after use of the product.

(4) To assure safe use of the additive, its label and labeling shall conform to that registered with the U.S. Environmental Protection Agency, and it shall be used in accordance with such label and labeling.

(b) *Section 18 emergency exemptions*. [Reserved]

(c) *Tolerances with regional registrations*. [Reserved]

(d) *Indirect or inadvertent residues*. [Reserved]

[65 FR 39313, June 26, 2000, as amended at 71 FR 74819, Dec. 13, 2006]

§ 180.546 Mefenoxam; tolerances for residues.

(a) *General*. Tolerances are established for residues of mefenoxam, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance

levels specified below is to be determined by measuring only metalaxyl (methyl *N*-(2,6-dimethylphenyl)-*N*-(methoxyacetyl)-*DL*-alaninate).

Commodity	Parts per million
Artichoke, globe	0.05
Atemoya	0.20
Bean, snap, succulent	0.20
Bushberry subgroup 13-07B	2.0
Caneberry subgroup 13-07A	0.70
Canistel	0.40
Custard apple	0.20
Herbs, dried	55
Herbs, fresh	8.0
Kiwifruit	0.10
Mango	0.40
Onion, bulb, subgroup 3-07A	3.0
Onion, green, subgroup 3-07B	10
Papaya	0.40
Sapodilla	0.40
Sapote, black	0.40
Sapote, mamey	0.40
Spinach	10
Star apple	0.40
Starfruit	0.20
Sugar apple	0.20

(b) *Section 18 emergency exemptions*. [Reserved]

(c) *Tolerances with regional registrations*. [Reserved]

(d) *Indirect or inadvertent residues*. [Reserved]

[65 FR 57556, Sept. 25, 2000, as amended at 66 FR 48003, Sept. 17, 2001; 67 FR 35050, May 17, 2002; 76 FR 4548, Jan. 26, 2011]

§ 180.547 Prohexadione calcium; tolerances for residues.

(a) *General*. Tolerances are established for residues of the growth regulator, prohexadione calcium, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only prohexadione calcium (calcium 3-oxido-5-oxo-4-propionylcyclohex-3-enecarboxylate)'' in or on the following commodities.

Commodity	Parts per million
Cattle, kidney	0.10
Cattle, meat byproducts, except kidney	0.05
Cherry, sweet	0.40
Fruit, pome, group 11	3.0
Goat, kidney	0.10
Goat, meat byproducts, except kidney	0.05
Grass, forage ¹	0.10
Grass, hay ¹	0.10
Grass, seed screenings ¹	3.5
Grass, straw ¹	1.2
Hog, kidney	0.10
Hog, meat byproducts, except kidney	0.05